



## RESEARCH PAPER

## OPEN ACCESS

## Pollution of heavy metals in River Dor at Jama Khyber Pakhtunkhwa Pakistan

Khalid Usman<sup>\*1</sup>, Hameed Ur Rehman<sup>2</sup>, Khalid Pervaiz<sup>3</sup>, Inayat Ullah Malik<sup>4</sup>, Faiz Ur Rehman<sup>5</sup>, Rafiq Hussain<sup>5</sup>, Wahid Shah<sup>1</sup>, Sahibzada Muhammad Jawad<sup>6</sup>, Arshad Mehmood<sup>7</sup>

<sup>1</sup>Department of Zoology, Hazara University, Mansehra, Khyber Pakhtunkhwa, Pakistan

<sup>2</sup>Department of Chemistry, Kohat University of Science and Technology, KUST, Kohat, Pakistan

<sup>3</sup>Fisheries Research & Training Institute, Government of the Punjab, Lahore, Pakistan

<sup>4</sup>Department of Biological Sciences, Sub Campus Mianwali, University of Sargodha, Pakistan

<sup>5</sup>Department of Zoology, Kohat University of Science & Technology, KUST, Khyber Pakhtunkhwa, Pakistan

<sup>6</sup>Department of Zoology, Islamia College University, Peshawar, KP, Pakistan

<sup>7</sup>Department of Zoology, Malakand University of KP, Pakistan

**Key words:** River Dor, Jama, Toxic metals, Concentration, ppm

<http://dx.doi.org/10.12692/ijb/12.4.437-442>

Article published on April 30, 2018

### Abstract

In the current examination conducted to explore the quantity of health hazard toxic metals in River Dor at Jama site Khyber Pakhtunkhwa, Pakistan. In the present investigation a detail research work was carried out for the detection of heavy metals in the three selected site of the River Dor at Jama sampling station. The toxic heavy metals (Zn, Cu, Cd, Pb, Cr and Mn) were under study in the present survey. The main objective of the present study was to find out toxic heavy metals in the selected sampling point. In the current analysis the concentration of the toxic heavy metals obtained was Zn 1.12-1.86 ppm; Cu 1.03-1.24 ppm; Cd 0.04-1.35 ppm; Pb 0.05-1.28 ppm; Cr 0.02-0.17 ppm and Mn 0.01-0.03 ppm respectively. In the current examination Cu, Cd, Pb and Cr found above the standard levels while the remaining toxic metals such as Zn 1.12-1.86 and Mn 0.01-0.03 were found within the standard levels.

\* **Corresponding Author:** Khalid Usman ✉ [khalidusmankhattak1985@gmail.com](mailto:khalidusmankhattak1985@gmail.com)

## Introduction

The most common heavy metal pollutants are cadmium (Cd), chromium (Cr), copper (Cu), nickel (Ni), lead (Pb), manganese (Mn) and zinc (Zn). Their source of entry into the aquatic system could either be single, identifiable or dispersed (often difficult to identify). The fact that heavy metals cannot be decomposed through biological degradation and have the ability to accumulate in the environment (Asaolu and Olaofe, 2005., Olowu *et al.*, 2010). After decades of rapid urbanization, population growth and industrialization, developing countries are now home to many of the world's most critical air, water and solid waste problems. Early studies have identified the rise in the pollution of particular heavy metals in freshwater systems around the world, particularly in rivers. The pollution has mainly been caused by industrial processes and industrial waste, typically from rubber and oil palm mills (Tariq *et al.*, 1996). Trace elements are chemical elements that are required in a very minute amount for the proper growth, development and human physiology. They are called heavy metals because their densities greater than 5g/cm<sup>3</sup>. However these essential trace elements become poisonous when their concentration becomes extreme (Dao *et al.*, 2008). Contamination of surface water by heavy metals is a serious ecological problem as some of them like Hg and Pb are toxic even at low concentrations, are non-degradable and can bio-accumulate through food chain. Though some metals like Fe, Cu and Zn are essential micronutrients, they can be detrimental to the physiology of the living organisms at higher concentrations (Kar *et al.*, 2008., Nair *et al.*, 2010).

Evaluation of heavy metals were carried out by Afridi *et al* in the common carp (*Cyprinus carpio*) collected from two different water bodies the Tarbela dam, District Haripur, and River Soan District Rawalpindi Pakistan. The concentration of detected metals found in different tissues of same species varied for Mn: 0.43-4.96, Ni: 0.49 – 1.60, Cd: 0.06 – 0.08, Cu: 0.36 – 0.81, Pb: 0.50 – 0.74, Se: 6.17 – 17.05, Zn: 0.59 – 3.74 µg/g wet wt (Afridi, 2017). Measurement of heavy metals was conducted by Fawad *et al* to know

the rate of bioaccumulation of Chromium (Cr (III) in the gills, intestine, and skin and its acute toxicity to goldfish (*Carassius auratus*) fingerlings. The result shows that the rate of accumulation of chromium in Gills > Intestine > Skin of gold fish (Faad *et al.*, 2007). Amount of heavy metals were analyzed by Usman *et al.* (2017a) in different sites of River Kabul on Rohu, *Labeo rohita* (Hamilton). As a result of accumulation of heavy metals in fish bodies, various diseases occurred which ultimately declined their population. It is suggested that if the proper, timely remedial measures are not adopted, the situation will be aggravated and may cause the loss of precious fish diversity in the country. Hence, to overcome this serious problem industries discharge should be cleaned before entering to the River and properly time to time Fish fauna should be checked out. Quantity of health hazard metals was detected by Usman *et al* (2017b) in natural waters of river Kabul, Khyber Pakhtunkhwa Province, Pakistan.

The concentrations of the metals recorded were in the range as: Pb 0.06-4.41 ppm; Zn 4.11-7.11 ppm; Cd 0.42-1.46 ppm; Cu 1.07-3.86 ppm; Mn 0.06-2.11 ppm and Cr 0.05-2.11 ppm. Concentration of heavy metals was analyzed by Usman *et al.* (2017c) in the River Kabul Shah Alam tributary, Peshawar Khyber Pakhtunkhwa, Pakistan. The concentration of the heavy metals were Zn 1.2-2.0 ppm; Cu 0.17-1.48 ppm; Cd 0.2-0.69 ppm; Pb 1.01-1.23 ppm; Cr 0.04-2.01 ppm and Mn 0.01-0.82 ppm respectively. Heavy metals were recorded by Usman *et al.* (2017d) to study the water quality of the River Kabul at Dalda Oil Mill Nowshera Khyber Pakhtunkhwa, Pakistan. Water samples were collected from three different sites along the course of the River Kabul at Dalda Oil Mill Nowshera. The ranges of the heavy metals obtained during the present research were Zn 2.11-2.8 ppm; Cu 0.3-2.23 ppm; Cd 0.12-0.88 ppm; Pb 0.02-2.06 ppm; Cr 0.02-0.16 ppm and Mn 0.41.11 ppm respectively.

A study was conducted by Usman *et al.* (2017e) to analyze the concentration of toxic pollutant. In this study the amount of heavy metals recorded were Zn 1.19-1.7 ppm; Cu 0.13-0.75 ppm; Cd 0.02-0.32 ppm; pb 1.01-

0.03 ppm; Cr 0.00-0.00 ppm and Mn 0.01-0.03 ppm respectively. The aim of the current research work was to find out the pollution of Heavy metals in River Dor at Jama Khyber Pakhtunkhwa Pakistan.

## Materials and methods

### Study Area

The Jama station of River Dor is very close to the Tarbela Dam where River enter to the Dam. This point is rich of water bodies and hence found clean as compared to the other points along with the River Dor. Majority of fish fauna was recorded from this point due to water rich zone. Small stones were also found in the bottom of the river of this site. Furthermore, speed of the water was very fast in this site. Sidewise of this point grassy plains were also existing which were too much imported for grassing of castles.



**Fig. 1.** Map of River Dor at Jama site KP, Pakistan

### Sampling of Water

Water samples were stored in clean and dry plastic bottles with screw caps and labeled. The freshly collected samples were analyzed for Heavy metals analysis at GC University Faisalabad lab by using atomic absorption

### Method for preparation of stock solution

The stock solution was prepared as 1000 ppm=1000mg/l. Then 100 ppm solution was prepared from stock solution using serial dilution equation of  $C_1V_1 = C_2V_2$

### Determination of heavy metals in water

The water samples were first filtered with the help of filter paper and then taken in 250 ml of glass bottles and subjected to the atomic absorption spectrophotometer (Zn, Cu, Cd, Mn, Cr, Pb) at GC University Faisalabad lab.

## Results and discussion

In the present study carried out to find out the concentration of health hazard toxic metals in River Dor at Jama site KP, Pakistan. In the current survey a detail research work was conducted for the analysis of heavy metals. In the present study the concentration of the toxic heavy metals obtained was Zn 1.12-1.86 ppm; Cu 1.03-1.24 ppm; Cd 0.04-1.35 ppm; Pb 0.05-1.28 ppm; Cr 0.02-0.17 ppm and Mn 0.01-0.03 ppm respectively. In the current examination Cu, Cd, Pb and Cr found above the standard levels while the remaining toxic metals such as Zn 1.12-1.86 and Mn 0.01-0.03 were found within the standard levels.

Usman *et al.* (2017f) work on River Kabul at Cantt area Nowshera to evaluate heavy metals. The metals which were recorded in the present study were Zn 1.13-1.85 ppm; Cu 1.02-1.21 ppm; Cd 0.03-1.32 ppm; pb 0.04-1.23 ppm; Cr 0.010.16 ppm and Mn 0.00-0.00 ppm respectively. In a research study demonstrated by Usman *et al.* (2018) to estimate the amount of heavy metals in the water of River Kabul at Jehangira Lower Khyber Pakhtunkhwa, Pakistan. The highest concentration of the heavy metals was found Cu 0.2-1.66, Cd 0.06-0.96, Pd 0.02-1.1, Cr 0.01-0.06 while the lowest concentration was found Mn 0.11-0.23 and zinc 1.13-2.37 respectively.

A survey was carried out by Usman *et al.* (2017g) to find out the concentration of heavy metals in Jhanjira Upper site of the River Kabul Khyber Pakhtunkhwa, Pakistan. The results obtained from the current study were in the range of Zn 1.11-1.97 ppm; Cu 1.05-1.63 ppm; Cd 0.11-0.89 ppm; Pb 0.07-1.07 ppm; Cr 0.01-0.11 ppm and Mn 0.02-0.28 ppm respectively. Analysis of heavy metals was determined by Usman *et al.* (2017h) to explore the amount of heavy metals in River Kabul at Khairabad water KP, Pakistan. Concentration of water samples was Zn 1.5-1.59 ppm; Cu 1.15-1.94 ppm; Cd 0.02-0.05 ppm; Pb 0.15-0.73 ppm; Cr 0.01-0.02 ppm and Mn 0.07-0.21 ppm respectively. Assessment of heavy metals were carried out by Usman *et al.* (2017i) to examine the concentration of health hazard toxic metals in in River Kabul at Khazana Suger Mill Peshawar, KP, Pakistan.

Heavy metals concentration obtained from the present study was Zn 1.13-201 ppm; Cu 0.55-0.9 ppm; Cd 0.02-1.22 ppm; Pb 1.231.84 ppm; Cr 0.21-1.2 ppm and Mn 0.02-0.05 ppm respectively. A research work was conducted by Usman *et al.* (2017) to estimate the amount of heavy metals in River Kabul at Kond Marble factory KP, Pakistan.


The concentration of heavy metals obtained was Zn 1.2-231 ppm; Cu 0.3-1.89 ppm; Cd 0.13-0.75 ppm; Pb 1.13-0.96 ppm; Cr 0.01-0.02 ppm and Mn 0.11-0.44 ppm respectively. Atlas *et al.* (2017) find out the amount of heavy metals in River Kabul at Sardaryab KP, Pakistan. The heavy metals analyzed in the present research were in the range of Zn 1.14-1.86 ppm; Cu 1.03-1.22 ppm; Cd 0.12-0.89 ppm; Pb 0.08-1.08 ppm; Cr 0.02-0.12 ppm and Mn 0.03-0.29 ppm respectively. A research study was conducted by Farhan *et al.* (2016) to determine the concentration of some heavy metals in water and soil samples of four different dams located in the area of Karak, KPK, Pakistan. Heavy metals analyzed in water and soil samples of all the four dam's indicated that among the seven heavy metals tested, Fe was maximum in concentration, followed by Zn, Cu, Pb, Ni, Cr and Cd.

The sequence of heavy metals decreased in Zebi dam as Fe>Cu>Zn>Pb>Ni>Cr>Cd, in the sarki dam as Fe>Cu>Zn>Pb>Cd>Cr>Ni, in the sharki dam as Fe>Zn>Cu>Pb>Ni>Cd>Cr, and in the Changos dam as Fe>Zn>Pb>Cu>Cd>Cr> Ni respectively. A survey was carried out by Rehmana *et al.* (2015) on Bannu Dam's and Damai Stream during Breeding Season of Fishes. The order of heavy metals concentration in water and soil of damai stream and dam's was: Fe 53.17±0.2mg/L (Gomalzam dam soil sample) and 46.12±0.1mg/L (Gomalzam dam water sample), Pb 5.53±0.32mg/L (Gomalzam dam water sample) and 5.097±0.17mg/L (Gomalzam dam soil sample), Cu 6.05±0.11mg/L (Gomalzam dam water sample) and 3.50±0.01mg/L (Barganatu dam soil sample), Zn 3.38±0.03mg/L (Damai stream soil sample) and 2.27±0.01mg/L (Baran dam soil sample), Ni 0.77±0.01mg/L (Baran dam water sample) and 0.54±0.01mg/L (Baran dam soil sample), Cd 0.67±0.01mg/L (Damai stream soil sample) and

0.23±0.02mg/L (Damai stream water sample), Cr 0.12±0.01mg/L (Barganatu dam soil sample) and 0.08±0.03mg/L (Baran dam water sample). Another research was conducted by Rehman *et al.* (2016) to evaluate heavy metal of Molluska Shell, Water and Soil Collected from Dermalak Dam, Tehsil Lachi District Kohat. The homogeneity, samples Cr not present. But tissue samples having the diverge the concentration as well as order. The high concentration of heavy metals found in the sediment is due to the anthropogenic inputs and fishing activity.

**Table 1.** Concentration of heavy metals (ppm) in River Dor at Jama site KP, Pakistan.

S.No	Metals	U.S	M.P	D.S	Permissible limits
1	Zn	1.12	1.86	1.34	5.0 mg/l
2	Cu	1.03	1.24	1.05	0.05 mg/l
3	Cd	0.04	1.35	0.16	0.05 mg/l
4	Pb	0.05	1.28	0.11	0.05 mg/l
5	Cr	0.02	0.17	0.04	0.05 mg/l
6	Mn	0.01	0.03	0.02	50-70 mg/l



**Fig. 2.** Concentration of heavy metals (ppm) in River Dor at Jama site KP, Pakistan. U.S (Up stream); M.P (Mid point); D.S (Down stream).

## Conclusion

The current survey was carried out in River Dor at Jama site Khyber Pakhtunkhwa Pakistan to explore the amount of heavy metals. From the results it can be concluded that water quality of this site was not suitable due to heavy metals toxicity.

## Acknowledgement

Immense Thankful to Dr. Khalid Pervaiz and Dr. Inayat Ullah Malik. I am greatly thankful to Hameed Ur Rehman (Department of Chemistry). I am also thankful to my brother Dr. Wahid Raza (Department of Management Sciences ICUP) who helps me throughout in water sampling collection.

## References

- Afridi AJ, Zuberi A, Rehman HU, Khan A, Saeed K, Achakzai WM, Saddozai S, Usman K, Ateeq M, Akbar NU.** 2017. Effect of the aquatic environment of different water bodies on metal contents of common carp (*Cyprinus carpio*) collected from two different water bodies. *Journal of Entomology and Zoology Studies* **5(1)**, 388-399.
- Asaolu SS, Olaofe O,** 2005. Biomagnification of some heavy and essential metals in sediment, fishes and crayfish from Ondo State Coastal Region, Nigeria. *Pakistan Journal of Scientific and Industrial Research* **48**, 96-102.
- Atlas A, Usman K, Rehman HU, Khudadad S, Munawar A, Rab A, Khan MI, Gul M, Pervaiz K.** 2017. Analysis of heavy metals in river Kabul at Sardaryab Khyber Pakhtunkhwa, Pakistan. *Journal of Entomology and Zoology Studies*; **5(6)**, 14-16.
- Farhan Rehman HU, Bibi I, Zakir M, UllahN, Waheed MA, Haleem S, Zarin K, Yasin N, Nisa I.** 2016. Heavy metal analysis of water and soil of district Karak dams during fish breeding season, KPK, Pakistan. *Journal of Entomology and Zoology Studies* **4(3)**, 91-93.
- Fawad M, Yousafzai AM, Haseeb A, Rehman HU, Afridi AJ, Akhtar NA, Saeed K, Usman K.** 2017. Acute toxicity and bioaccumulation of chromium in gills, skin and intestine of goldfish (*Carassius auratus*). *Journal of Entomology and Zoology Studies* **5(1)**, 568-571.
- Gao S, Jin Y, Unverzagt FM, Hall KS.** 2008. Trace element levels and cognitive function in rural elderly Chinese. *J. of Gerontology, Med. Sci* **63(6)**, 635-641.
- Kar D, Sur P, Mandal SK, Saha T, Kole RK.** 2008. Assessment of heavy metal pollution in surface water. *Int. J. Environ. Sci. Tech* **5(1)**, 119-124.
- Nair IV, Singh K, Arumugam M, Gangadhar K, Clarson D.** 2010. Trace metal quality of Meenachil River at Kottayam, Kerala (India) by principal component analysis. *World Appl. Sci. J* **9(10)**, 1100-1107.
- Olowu RA, Ayejuyo OO, Adewuyi GO, Adejoro IA, Denloye AAB, Babatunde AO, Ogundajo AL.** 2010. Determination of Heavy Metals in Fish Tissues, Water and Sediment from Epe and Badagry Lagoons, Lagos, Nigeria. *E-Journal of Chemistry* **7**, 215-221. [www.e-journals.net](http://www.e-journals.net)
- Rehman HU, Ismail M, Khan RU, Haq ZU, Farhan, Zakir M, Zahoor B, Ahmad, I, Awais S.** 2015. Heavy Metals Analysis of Bannu Dam's and Damai Stream During Breeding Season of Fishes. *World Applied Sciences Journal* **33(12)**, 1842-1845.
- Rehman HU, Khan RU, Sajed M, Akbar NU, Rehman JU, Awais S, Ahmad I, Maqbool S, Ullah N, Andaleeb H.** 2016. Estimation of Heavy Metal of Molluska Shell, Water and Soil Collected from Dermalak Dam, Tehsil Lachi District Kohat. *World Journal of Zoology* **11(1)**, 01-05.
- Tariq J, Ashraf M, Afzal M.** 1996. Pollution status of the Indus River, Pakistan, through heavy metal and macronutrient contents of fish, sediment and water. *Water Research* **30(6)**, 1337-1344.
- Usman K, Nisa Zu, Gul S, Gul S, Rehman HU, Asad M, Waqar M, Ullah and Ishaq HK.** 2017c. Contamination of Heavy metals in River Shah Alam Peshawar: (A tributary of River Kabul) Khyber Pakhtunkhwa Pakistan. *Journal of Entomology and Zoology Studies* **5(5)**, 510-512.
- Usman K, Rehman HU, Adeel S, Shah NA, Shah A, Pervaiz K, Saeed N, Mussabeha.** 2017a. Heavy Metals Accumulation in *Labeo rohita* (Hamilton) of River Kabul, KPK, Pakistan. *Biological Forum – An International Journal* **9(1)**, 01-07.
- Usman K, Rehman HU, Adeel S, Shah W, Pervaiz K, Ullah Z, Ullah R, Arsalan M.** 2017b. An Investigation on the toxicity of some trace metals in river Kabul, Khyber Pakhtunkhwa Province of Pakistan. *Biological Forum – An International Journal* **9(1)**, 95-99.
- Usman K, Rehman HU, Khudadad HS, Pervaiz K, Ahmad N, Bilal M, Hussain, ST, Jawad SM, Khan M, Akbar MU.** 2017d. Concentration of heavy metals in River Kabul at Dalda Oil Mill Nowshera Khyber Pakhtunkhwa, Pakistan. *Journal of Entomology and Zoology Studies* **5(6)**, 2395-2397.

**Usman K, Rehman HU, Khudadad HS, Pervaiz K, Ali SZUA, Maqsood MJ, Jawad SM, Din AU, Ihtesham Y.** 2018. Investigation of heavy metals in River Kabul at Jehangira lower Khyber Pakhtunkhwa, Pakistan. *Journal of Entomology and Zoology Studie* **6(1)**, 100-102.

**Usman K, Rehman HU, Khudadad HS, Pervaiz K, Ali SZUA, Maqsood MJ, Jawad SM, Nazir R, Ihtesham Y.** 2017i. Evaluation of heavy metals in River Kabul at Khazana Sugar Mill Peshawar Khyber Pakhtunkhwa, Pakistan. *Journal of Entomology and Zoology Studies* **5(6)**, 2417-2419.

**Usman K, Rehman HU, Khudadad HS, Pervaiz K, Ali SZUA, Maqsood MJ, Jawad SM, Nazir R, Ihtesham Y.** 2017j. Exploration of heavy metals in River Kabul at marble factory Kond Khyber Pakhtunkhwa, Pakistan. *Journal of Entomology and Zoology Studies* **5(6)**, 2272-2274.

**Usman K, Rehman HU, Khudadad HS, Pervaiz K, Khan MW, Ali SZUA, Maqsood MJ, Jawad SM, Ahmad A.** 2017e. Assessment of heavy metals in River Kabul at Warsak Peshawar Khyber Pakhtunkhwa, Pakistan. *Journal of Entomology and Zoology Studies* **5(6)**, 1726-1728.

**Usman K, Rehman HU, Khudadad S, Pervaiz K, Ahmad N, Bilal M, Hussain, ST, Jawad SM, Khan M, Ali M.** 2017f. Estimation of heavy metals in River Kabul at Cantt area Nowshera Khyber Pakhtunkhwa, Pakistan. *Journal of Entomology and Zoology Studies* **5(6)**, 2275-2277.

**Usman K, Rehman HU, Khudadad S, Pervaiz K, Ahmad N, Bilal M, Hussain ST, Jawad SM, Khan M, Akbar MU.** 2017g. Heavy metals analysis in River Kabul at Jhangira Upper Khyber Pakhtunkhwa, Pakistan. *Journal of Entomology and Zoology Studies* **5(6)**, 2485-2487.

**Usman K, Rehman HU, Khudadad S, Pervaiz K, Ali SZUA, Maqsood MJ, Jawad SM, Din AU, Ihtesham Y.** 2017h. Measurement of heavy metals in River Kabul at Khairabad Khyber Pakhtunkhwa, Pakistan. *Journal of Entomology and Zoology Studies* **5(6)**, 2263-2265.