

Journal of Biodiversity and Environmental Sciences (JBES) ISSN: 2220-6663 (Print) 2222-3045 (Online) Vol. 13, No. 1, p. 176-180, 2018 http://www.innspub.net

RESEARCH PAPER

OPEN ACCESS

Detection of heavy metals in River Harrow at Kharala Khyber Pakhtunkhwa, Pakistan

Khalid Usman^{*1}, Sadaf Ijaz², Nabeela Firdous², Shabina Gull², Zaib-un-Nisa², Sajid Rashid Ahmad², Irfan Sheikh², Hameed Ur Rehman³, Khalid Pervaiz⁴, Inayat Ullah Malik⁵

¹Department of Zoology, Hazara University, Mansehra, Khyber Pakhtunkhwa, Pakistan ²College of Earth and Environmental Sciences, University of the Punjab, Pakistan ³Department of Chemistry, Kohat University of Science & Technology, KUST, Kohat, KP, Pakistan ⁴Fisheries Research & Training Institute, Government of the Punjab, Lahore, Pakistan ⁵Department of Biological Sciences, Subcampus Mianwali, University of Sargodha, Pakistan

Article published on July 30, 2018

Key words: Water, Harrow, River, Kharala, Heavy metals, Pollutants.

Abstract

Water becomes toxic by addition of pollutants such as heavy metals which altered the water Chemistry. Without water life is not possible in the universe. For the analysis of heavy metals a detailed research was designed in River Harrow at Kharala Khyber Pakhtunkhwa, Pakistan. For this purpose six heavy metals were selected. The selected heavy metals were Pb, Cr, Zn, Mn, Cd, and Cu respectively. The Heavy metals examined in the present research were Zn 1.13-1.78ppm; Cu 1.02-1.23ppm; Cd 0.03-1.39ppm; Pb 0.03-1.24ppm; Cr 0.03-0.15ppm and Mn 0.04-0.09ppm respectively. The present investigation summarized that that Cr, Cu, Cd and Pb were found above the permissible limits while Zn and Mn were above the permissible range.

*Corresponding Author: Khalid Usman 🖂 khalidusmankhattak1985@gmail.com

Introduction

Nickel, a major environmental pollutant, is known for its clastogenic, toxic, and carcinogenic potential (Ross, 1985; Hartwig and Schwerdtle, 2002). The carcinogenic potential of nickel compounds depends largely on their solubility. The particulate nickel compounds like Ni3S2 or NiO are strong carcinogens, whereas the soluble nickel (II) salts exert weaker effects (Dunnick et al., 1995). This may be due to differences in bioavailability. Water soluble nickel salts are taken up only slowly by cells, while particulate nickel compounds are phagocytosed and, due to the low pH, are gradually dissolved in lysosomes, yielding high concentrations of nickel ions in the nucleus (Costa et al., 1981). The aquatic systems deposition of contaminants, including heavy metals, can lead to elevated sediment concentrations that cause potential toxicity of the Aquatic biota (Yand and Rose, 2003; Heyvart et al., 2000). Metal ions also damages DNA molecule and nuclear proteins that may possibly lead to carcinogenesis or apoptosis (Beyersmann and Hartwig, 2008). Assessment of heavy metals were carried out by Usman et al. (2017c) to examine the concentration of health hazard toxic metals in in River Kabul at Khazana Suger Mill Peshawar KP, Pakistan. Heavy metals concentration obtained from the present study was Zn 1.13-201ppm; Cu 0.55-0.9ppm; Cd 0.02-1.22ppm; pb 1.231.84ppm; Cr 0.21-1.2ppm and Mn 0.02-0.05ppm respectively. A research work was conducted by Usman et al. (2017d) to estimate the amount of heavy metals in River Kabul at Kond Marble factory KP, Pakistan. The concentration of heavy metals obtained was Zn 1.2-231ppm; Cu 0.3-1.89ppm; Cd 0.13-0.75ppm; Pb 1.13-0.96ppm; Cr 0.01-0.02ppm and Mn 0.11-0.44ppm respectively. Atlas et al. (2017) find out the amount of heavy metals such as Zn, Cu, Cd, Pb, Cr and Mn in River Kabul at Sardaryab Khyber Pakhtunkhwa, Pakistan. The heavy metals analyzed in the present research were in the range of Zn 1.14-1.86ppm; Cu 1.03-1.22ppm; Cd 0.12-0.89ppm; Pb 0.08-1.08ppm; Cr 0.02-0.12ppm and Mn 0.03-0.29ppm respectively. A research study was conducted by Farhan et al. (2016) to determine the concentration of some heavy metals

(Fe, Ni, Cu, Cr, Cd, Pb and Zn) in water and soil samples of four different dams located in the area of Karak, KP, Pakistan. The results obtained showed that the average value of Fe and Zn in both water and soil samples were found to be higher than other metals. In a research study demonstrated by Usman et al. (2018) to estimate the amount of heavy metals in the water of River Kabul at Jehangira Lower KP, Pakistan. The highest concentration of the heavy metals was found Cu 0.2-1.66, Cd 0.06-0.96, Pd 0.02-1.1, Cr 0.01-0.06 while the lowest concentration was found Mn 0.11-0.23 and zinc 1.13-2.37 respectively. A survey was carried out by Usman et al. (2017a) to find out the concentration of heavy metals in Jhanjira Upper site of the River Kabul KP, Pakistan. The results obtained from the current study were in the range of Zn 1.11-1.97ppm; Cu 1.05-1.63ppm; Cd 0.11-0.89ppm; Pb 0.07-1.07ppm; Cr 0.01-0.11ppm and Mn 0.02-0.28ppm respectively. Analysis of heavy metals was determined by Usman et al. (2017b) to explore the amount of heavy metals in River Kabul at Khairabad water KP Pakistan. The heavy metals recorded were Zn 1.5-1.59ppm; Cu 1.15-1.94ppm; Cd 0.02-0.05ppm; Pb 0.15-0.73ppm; Cr 0.01-0.02ppm and Mn 0.07-0.21ppm respectively. A study was conducted by Khan et al. (2017) to find out contamination of toxicological effect on environment as well as on public health and is an emerging problem in District Quetta. On average, the Antimony (Sb) (0.028±0.022 mg/L) was above the WHO standard limits while Arsenic (As) (0.006±0.0094 mg/L) was below the WHO standard limits.

The aim of the research work was to detect of heavy metals in River Harrow at Kharala Khyber Pakhtunkhwa, Pakistan.

Materials and methods

Study Area

Kharala site of the river Harrow is not too much clear. In this site a huge turbidity was found. The main reason of the water turbidity is manmade activities and domesticated discharge in to the River. In this site various fields are irrigated by small canals systems. In this area often peoples visit for picnic.



Fig. 1. Map of River Harrow at Kharala site KP, Pakistan. The blue arrow show sampling point of the selected site.

Sampling of Water

Water samples were stored in clean and dry plastic bottles with screw caps and labeled. The freshly collected samples were analyzed for Heavy metals analysis at GC University Faisalabad lab by using atomic absorption.

Method for preparation of stock solution

The stock solution was prepared as 1000ppm = 1000mg/l. Then 100ppm solution was prepared from stock solution using serial dilution equation of C1V1 = C2V2

Determination of heavy metals in water

The water samples were first filtered with the help of filter paper and then taken in 250 ml of glass bottles and subjected to the atomic absorption spectrophotometer (Zn, Cu, Cd, Mn, Cr, Pb) at GC University Faisalabad lab.

Results and discussion

The present research study was conducted on River Harrow at Kharala site to evaluate the concentration of heavy metals. For the analysis of heavy metals a detailed research was designed in River Harrow at Kharala Khyber Pakhtunkhwa, Pakistan. For this purpose six heavy metals were selected. The selected heavy metals were Pb, Cr, Zn, Mn, Cd, and Cu respectively. The Heavy metals examined in the present research were Zn 1.13-1.78ppm; Cu 1.02-1.23ppm; Cd 0.03-1.39ppm; Pb 0.03-1.24ppm; Cr 0.03-0.15ppm and Mn 0.04-0.09ppm respectively. The present investigation summarized that that Cr, Cu, Cd and Pb were found above the permissible limits while Zn and Mn were above the permissible range. Water becomes toxic by addition of pollutants such as heavy metals which altered the water Chemistry. Without water life is not possible in the universe. A survey was carried out by Usman et al. (2017f) to find out the concentration of heavy metals in Jhanjira Upper site of the River Kabul KP, Pakistan. The results obtained from the current study were in the range of Zn 1.11-1.97ppm; Cu 1.05-1.63ppm; Cd 0.11-0.89ppm; Pb 0.07-1.07ppm; Cr 0.01-0.11ppm and Mn 0.02-0.28ppm respectively. Analysis of heavy metals was determined by Usman et al. (2017g) to explore the amount of heavy metals in River Kabul at Khairabad water KP Pakistan. The heavy metals recorded were Zn 1.5-1.59ppm; Cu 1.15-1.94ppm; Cd 0.02-0.05ppm; Pb 0.15-0.73ppm; Cr 0.01-0.02ppm and Mn 0.07-0.21ppm respectively. Usman et al. (2017e) work on River Kabul at Cantt area Nowshera to evaluate heavy metals. The metals which were recorded in the present study were Zn 1.13-1.85ppm; Cu 1.02-1.21ppm; Cd 0.03-1.32ppm; pb 0.04-1.23ppm; Cr 0.010.16ppm and Mn 0.00-0.00ppm respectively. In a research study demonstrated by Usman et al. (2018) to estimate the amount of heavy metals in the water of River Kabul at Jehangira Lower KP, Pakistan. The highest concentration of the heavy metals was found Cu 0.2-1.66, Cd 0.06-0.96, Pd 0.02-1.1, Cr 0.01-0.06 while the lowest concentration was found Mn 0.11-0.23 and zinc 1.13-2.37 respectively. According to Nazir et al. (2015), Heavy metals are bioaccumulated and biotransferred both by natural and anthropogenic sources. Results showed that concentrations of cadmium, chromium, iron and lead in water were recorded above the permissible limits set by WHO while zinc and copper were recorded below the permissible limits and no concentration of nickel was recorded in water samples.

Table 1. Concentration of heavy metals (ppm) inRiver Harrow at Kharala site KP, Pakistan.

S. No	Metals	U.S	M.P	D.S	Permissible limits
1	Zn	1.15	1.78	1.32	5.0 mg/l
2	Cu	1.02	1.23	1.09	0.05 mg/l
3	Cd	0.03	1.39	0.18	0.05 mg/l
4	Pb	0.03	1.24	0.18	0.05 mg/l
5	Cr	0.03	0.15	0.06	0.05 mg/l
6	Mn	0.04	0.09	0.06	50-70 mg/l




Fig. 2. Concentration of heavy metals (ppm) in River Harrow at Kharala site KP, Pakistan. U.S (Up stream); M.P (Mid point); D.S (Down stream).

Conclusion

From the present survey it can be summarized that that Cr, Cu, Cd and Pb were found above the standard values. So this point of the study area was found contaminated and not recommended for use of both aquatic life and land organism. It might be adversely affected on the inhabited peoples near to this point.

Acknowledgement

Immense Thankful to Dr. Khalid Pervaiz and Dr. Inayat Ullah Malik. I am greatly thankful to Hameed Ur Rehman (Department of Chemistry). I am also thankful to my brother Dr. Wahid Raza (Department of Management Sciences ICUP) who helps me throughout in water sampling collection.

References

Atlas A, Usman K, Rehman HU, Khudadad S, Munawar A, Rab A, Khan MI, Gul M, Pervaiz K. 2017. Analysis of heavy metals in river Kabul at Sardaryab Khyber Pakhtunkhwa, Pakistan. Journal of Entomology and Zoology Studies **5(6)**, 14-16.

Beyersmann D, Hartwig A. 2008. Carcinogenic metal compounds: recent insight into molecular and cellular mechanisms. Archives of Toxicology **82(8)**, 493-512.

Costa M, Simmons-Hansen J, Bedrossian CW, Bonura J, Caprioli RM. 1981. Cellular distribution, and carcinogenic activity of particulate nickel compounds in tissue culture. Cancer Res **41**, 2868–2876. **Dunnick MR, Elwell AE, Radovsky JM, Benson FF, Hahn KJ, Nikula EB, Barr and Hobbs CH.** 1995. Comparative carcinogenic effects of nickel subsulfide, nickel oxide, or nickel sulfate hexahydrate chronic exposures in the lung. Cancer Res **55**, 5251–5256.

Farhan Rehman HU, Bibi I, Zakir M, Ullah N, Waheed MA, Haleem S, Zarin K, Yasin N, Nisa I. 2016. Heavy metal analysis of water and soil of district Karak dams during fish breeding season, KPK, Pakistan. Journal of Entomology and Zoology Studies 4(3), 91-93.

Hartwig A, Schwerdtle T. 2002. Interactions by carcinogenic metal compounds with DNA repair processes: toxicological implications. Toxicol Lett **127**, 47–54.

Heyvart AC, Reuter JE, Sloton DG, Goldman CR. 2000. Paleolimnological reconstruction of historical atmospheric lead and Hg deposition at lake Tahoe, California, Nevada" Environ. Sci. Technol **34**, 3588-3597.

Khan MW, Khalid M, Ullah H, Rehman HU, Ayaz Y, Ullah F, Jadoon MA, Waqas M, Afridi S. 2017. Detection of Arsenic (As), Antimony (Sb) and Bacterial Contamination in Drinking Water. Biological Forum – An International Journal **9(1)**, 133-138.

Nazir R, Khan M, Masab M, Rehman HU, Rauf NU, Shahab S, Ameer S, Sajed M, Ullah M, Rafeeq M, Shaheen Z. 2015. Accumulation of Heavy Metals (Ni, Cu, Cd, Cr, Pb, Zn, Fe) in the soil, water and plants and analysis of physico-chemical parameters of soil and water Collected from Tanda Dam Kohat. J. Pharm. Sci. & Res. Vol **7(3)**, 89-97.

Ross IS. 1995. Reduced uptake of nickel by a nickel resistance strain of Candida utilis. Microbios **83**, 261–270.

Usman K, Rehman HU, Khudadad HS, Pervaiz K, Ali SZUA, Maqsood MJ, Jawad SM, Din AU, Ihtesham Y. 2018. Investigation of heavy metals in River Kabul at Jehangira lower Khyber Pakhtunkhwa, Pakistan. Journal of Entomology and Zoology Studie **6(1)**, 100-102.

Usman K, Rehman HU, Khudadad HS, Pervaiz K, Ali SZUA, Maqsood MJ, Jawad SM, Nazir R, Ihtesham Y. 2017c. Evaluation of heavy metals in River Kabul at Khazana Sugar Mill Peshawar Khyber Pakhtunkhwa, Pakistan. Journal of Entomology and Zoology Studies **5(6)**, 2417-2419.

Usman K, Rehman HU, Khudadad HS, Pervaiz K, Ali SZUA, Maqsood MJ, Jawad SM, Nazir R, Ihtesham Y. 2017d. Exploration of heavy metals in River Kabul at marble factory Kond Khyber Pakhtunkhwa, Pakistan. Journal of Entomology and Zoology Studies **5(6)**, 2272-2274.

Usman K, Rehman HU, Khudadad HS, Pervaiz K, Ali SZUA, Maqsood MJ, Jawad SM, Din AU, Ihtesham Y. 2018. Investigation of heavy metals in River Kabul at Jehangira lower Khyber Pakhtunkhwa, Pakistan. Journal of Entomology and Zoology Studie **6(1)**, 100-102.

Usman K, Rehman HU, Khudadad S, Pervaiz K, Ahmad N, Bilal M, Hussain ST, Jawad SM, Khan M, Akbar MU. 2017a. Heavy metals analysis in River Kabul at Jhangira Upper Khyber Pakhtunkhwa, Pakistan. Journal of Entomology and Zoology Studies **5(6)**, 2485-2487.

Usman K, Rehman HU, Khudadad S, Pervaiz K, Ahmad N, Bilal M, Hussain ST, Jawad SM, Khan M, Ali M. 2017e. Estimation of heavy metals in River Kabul at Cantt area Nowshera Khyber Pakhtunkhwa, Pakistan. Journal of Entomology and Zoology Studies **5(6)**, 2275-2277.

Usman K, Rehman HU, Khudadad S, Pervaiz K, Ahmad N, Bilal M, Hussain ST, Jawad SM, Khan M, Akbar MU. 2017f. Heavy metals analysis in River Kabul at Jhangira Upper Khyber Pakhtunkhwa, Pakistan. Journal of Entomology and Zoology Studies **5(6)**, 2485-2487.

Usman K, Rehman HU, Khudadad S, Pervaiz K, Ali SZUA, Maqsood MJ, Jawad SM, Din AU, Ihtesham Y. 2017b. Measurement of heavy metals in River Kabul at Khairabad Khyber Pakhtunkhwa, Pakistan. Journal of Entomology and Zoology Studies **5(6)**, 2263-2265.

Usman K, Rehman HU, Khudadad S, Pervaiz K, Ali SZUA, Maqsood MJ, Jawad SM, Din AU, Ihtesham Y. 2017g. Measurement of heavy metals in River Kabul at Khairabad Khyber Pakhtunkhwa, Pakistan. Journal of Entomology and Zoology Studies **5(6)**, 2263-2265.

Yang H, Rose NL. 2003. Distribution of Hg in the lake sediments across the U. K Sci. Total Environ **304**, 391-404.